

CETPA INFOTECH PVT. LTD.
Curriculum of Networking

<p>1.0 Operation of IP Data Networks</p> <p>1.1 Recognize the purpose and functions of various network devices such as routers, switches, bridges and hubs</p> <p>1.2 Select the components required to meet a given network specification</p> <p>1.3 Identify common applications and their impact on the network</p> <p>1.4 Describe the purpose and basic operation of the protocols in the OSI and TCP/IP models</p> <p>1.5 Predict the data flow between two hosts across a network</p> <p>1.6 Identify the appropriate media, cables, ports, and connectors to connect Cisco network devices to other network devices and hosts in a LAN</p> <p>2.0 LAN Switching Technologies</p> <p>2.1 Determine the technology and media access control method for Ethernet networks</p> <p>2.2 Identify basic switching concepts and the operation of Cisco switches</p> <p>2.2.a Collision Domains</p> <p>2.2.b Broadcast Domains</p> <p>2.2.c Ways to switch</p> <p>2.2.c (i) Store 2.2.c (ii) Forward 2.2.c (iii) Cut through</p> <p>2.2.d CAM Table</p> <p>2.3 Configure and verify initial switch configuration including remote access management</p> <p>2.3.a hostname</p> <p>2.3.b mgmt ip address</p> <p>2.3.c ip default-gateway</p> <p>2.3.d local user and password</p> <p>2.3.e enable secret password</p>	<p>2.3.f console and VTY logins 2.3.g exec-timeout 2.3.h service password encryption 2.3.i copy run start</p> <p>2.4 Verify network status and switch operation using basic utilities such as</p> <p>2.4.a ping 2.4.b telnet 2.4.c SSH</p> <p>2.5 Describe how VLANs create logically separate networks and the need for routing between them</p> <p>2.5.a Explain network segmentation and basic traffic management concepts</p> <p>2.6 Configure and verify VLANs</p> <p>2.7 Configure and verify trunking on Cisco switches</p> <p>2.7.a dtp (topic) 2.7.b auto-negotiation</p> <p>2.8 Identify enhanced switching technologies</p> <p>2.8.a RSTP 2.8.b PVSTP 2.8.c Etherchannels</p> <p>2.9 Configure and verify PVSTP operation</p> <p>2.9.a Describe root bridge election 2.9.b Spanning tree mode</p> <p>3.0 IP Addressing (IPv4/IPv6)</p> <p>3.1 Describe the operation and necessity of using private and public IP addresses for IPv4 addressing</p> <p>3.2 Identify the appropriate IPv6 addressing scheme to satisfy addressing requirement in a LAN/WAN environment</p> <p>3.3 Identify the appropriate IPv4 addressing scheme using VLSM and summarization to satisfy addressing requirements in a LAN/WAN environment</p>	<p>3.4 Describe the technological requirements for running IPv6 in conjunction with IPv4</p> <p>3.4.a dual stack</p> <p>3.5 Describe IPv6 addresses</p> <p>3.5.a global unicast 3.5.b multicast 3.5.c link local 3.5.d unique local 3.5.e eui 64 3.5.f auto-configuration</p> <p>4.0 IP Routing Technologies</p> <p>4.1 Describe basic routing concepts</p> <p>4.1.a packet forwarding 4.1.b router lookup process 4.1.c Process Switching/Fast Switching/CEF</p> <p>4.2 Configure and verify utilizing the CLI to set basic Router configuration</p> <p>4.2.a hostname 4.2.b local user and password 4.2.c enable secret password 4.2.d console & VTY logins 4.2.e exec-timeout 4.2.f service password encryption 4.2.g interface IP Address 4.2.g (i) loopback 4.2.h banner 4.2.i motd 4.2.j copy run start</p> <p>4.3 Configure and verify operation status of a device interface</p> <p>4.3.a Serial 4.3.b Ethernet</p> <p>4.4 Verify router configuration and network connectivity using</p> <p>4.4.a ping 4.4.a (i) extended 4.4.b traceroute 4.4.c telnet 4.4.d SSH 4.4.e sh cdp neighbors</p> <p>4.5 Configure and verify routing configuration for a static or default route given specific routing requirements</p>
--	---	--

<p>4.6 Differentiate methods of routing and routing protocols</p> <p>4.6.a Static vs. dynamic</p> <p>4.6.b Link state vs. distance vector</p> <p>4.6.c next hop</p> <p>4.6.d ip routing table</p> <p>4.6.e Passive Interfaces (how they work)</p> <p>4.6.f Admin distance</p> <p>4.6.g split horizon</p> <p>4.6.h metric</p> <p>4.7 Configure and verify OSPF</p> <p>4.7.a Benefit of single area</p> <p>4.7.b Configure OSPV2</p> <p>4.7.c Configure OSPV3</p> <p>4.7.d Router ID</p> <p>4.7.e Passive Interface</p> <p>4.7.f Discuss multi-area OSPF</p> <p>4.7.g Understand LSA types and purpose</p> <p>4.8 Configure and verify interVLAN routing (Router on a stick)</p> <p>4.8.a sub interfaces</p> <p>4.8.b upstream routing</p> <p>4.8.c encapsulation</p> <p>4.9 Configure SVI interfaces</p> <p>4.10 Manage Cisco IOS Files</p> <p>4.10.a Boot Preferences</p> <p>4.10.b Cisco IOS Images (15)</p> <p>4.10.c Licensing</p> <p>4.10.c (i) Show license</p> <p>4.10.c (ii) Change license</p> <p>4.11 Configure and verify EIGRP (single AS)</p> <p>4.11.a Feasible Distance/Feasible Successors/Administrative distance</p> <p>4.11.b Feasibility condition</p> <p>4.11.c Metric composition</p> <p>4.11.d Router ID</p> <p>4.11.e Auto summary</p> <p>4.11.f Path Selection</p> <p>4.11.g Load Balancing</p> <p>4.11.g (i) Unequal</p> <p>4.11.g (ii) Equal</p> <p>5.2 Describe the types, features, and applications of ACLs</p> <p>5.2.a standard (editing and sequence numbers)</p> <p>5.2.b extended</p> <p>5.2.c named</p> <p>5.2.d numbered</p> <p>5.2.e Log option</p>	<p>5.3 Configure and verify ACLs in a network environment</p> <p>5.3.a named</p> <p>5.3.b numbered</p> <p>5.3.c Log option</p> <p>5.4 Identify the basic operation of NAT</p> <p>5.4.a purpose</p> <p>5.4.b pool</p> <p>5.4.c static</p> <p>5.4.d 1 to 1</p> <p>5.4.e overloading</p> <p>5.4.f source addressing</p> <p>5.4.g one way NAT</p> <p>5.5 Configure and verify NAT for given network requirements</p> <p>5.6 Configure and verify NTP as a client</p> <p>5.7 Recognize High availability (FHRP)</p> <p>5.7.a VRRP</p> <p>5.7.b HSRP</p> <p>5.7.c GLBP</p> <p>5.8 Configure and verify syslog</p> <p>5.8.a Utilize syslog output</p> <p>5.9 Describe SNMP v2 and v3.</p> <h2>6.0 Network Device Security</h2> <p>6.1 Configure and verify network device security</p> <p>features</p> <p>6.1.a Device password security</p> <p>6.1.b Enable secret vs. enable</p> <p>6.1.c Transport</p> <p>6.1.c.1 disable telnet</p> <p>6.1.c.2 SSH</p> <p>6.1.d VTYs</p> <p>6.1.e physical security</p> <p>6.1.f service password</p> <p>6.1.g Describe external authentication methods</p> <p>6.2 Configure and verify Switch Port Security</p> <p>6.2.a Sticky MAC</p> <p>6.2.b MAC address limitation</p> <p>6.2.c static/dynamic</p> <p>6.2.d violation modes</p> <p>6.2.d (i) err disable</p> <p>6.2.d (ii) shutdown</p> <p>6.2.d (iii) protect restrict</p> <p>6.2.e Shutdown unused ports</p> <p>6.2.f err disable recovery</p> <p>6.2.g Assign unused ports in unused VLANs</p> <p>6.2.h Putting Native VLAN to other than VLAN 1</p>	<p>6.3 Configure and verify ACLs to filter network traffic</p> <p>6.4 Configure and verify ACLs to limit telnet and SSH access to the router</p> <h2>7.0 Troubleshooting</h2> <p>7.1 Troubleshoot and correct common problems associated with IP addressing and host configurations</p> <p>7.2 Troubleshoot and resolve VLAN problems</p> <p>7.2.a Identify that VLANs are configured</p> <p>7.2.b Verify port membership correct</p> <p>7.2.c Correct IP address configured</p> <p>7.3 Troubleshoot and resolve trunking problems on Cisco switches</p> <p>7.3.a Verify correct trunk states</p> <p>7.3.b Verify correct encapsulation configured</p> <p>7.3.c Correct VLANs allowed</p> <p>7.4 Troubleshoot and resolve ACL issues</p> <p>7.4.a Verify statistics</p> <p>7.4.b Verify permitted networks</p> <p>7.4.c Verify direction</p> <p>7.4.c (i) Interface</p> <p>7.5 Troubleshoot and resolve Layer 1 problems</p> <p>7.5.a Framing</p> <p>7.5.b CRC</p> <p>7.5.c Runts</p> <p>7.5.d Giants</p> <p>7.5.e Dropped packets</p> <p>7.5.f Late collisions</p> <p>7.5.g Input/output errors</p> <p>7.6 Identify and correct common network problems</p> <p>7.7 Troubleshoot and resolve spanning tree operation issues</p> <p>7.7.a Verify root switch</p> <p>7.7.b Verify priority</p> <p>7.7.c Verify mode is correct</p> <p>7.7.d Verify port states</p> <p>7.8 Troubleshoot and resolve routing issues</p> <p>7.8.a Verify routing is enabled (ship protocols)</p> <p>7.8.b Verify routing table is correct</p> <p>7.8.c Verify correct path selection</p>
--	--	---


<p>7.9 Troubleshoot and resolve OSPF problems</p> <p>7.9.a Verify neighbor adjacencies</p> <p>7.9.b Verify hello and dead timers</p> <p>7.9.c Verify OSPF area</p> <p>7.9.d Verify interface MTU</p> <p>7.9.e Verify network types</p> <p>7.9.f Verify neighbor states</p> <p>7.9.g Review OSPF topology table</p>	<p>7.12 Troubleshoot and resolve WAN implementation issues</p> <p>7.12.a Serial interfaces</p> <p>7.12.b Frame relay</p> <p>7.12.c PPP</p> <p>7.13 Monitor Net Flow statistics</p> <p>7.14 TS Ether Channel problems</p>	<p>8.2 Configure and verify a basic WAN serial connection</p> <p>8.3 Configure and verify a PPP connection between Cisco routers</p> <p>8.4 Configure and verify frame relay on Cisco routers</p> <p>8.5 Implement and troubleshoot PPPoE</p>
<p>7.10 Troubleshoot and resolve EIGRP problems</p> <p>7.10.a Verify neighbor adjacencies</p> <p>7.10.b Verify AS number</p> <p>7.10.c Verify load balancing</p> <p>7.10.d Split horizon</p>	<p>8.0 WAN Technologies</p> <p>8.1 Identify different WAN Technologies</p> <p>8.1.a Metro ethernet</p> <p>8.1.b VSAT</p> <p>8.1.c Cellular 3g/4g</p> <p>8.1.d MPLS</p> <p>8.1.e T1/E1</p> <p>8.1.f ISDN</p> <p>8.1.g DSL</p> <p>8.1.h Frame relay</p> <p>8.1.i Cable</p> <p>8.1.j VPN</p>	
<p>7.11 Troubleshoot and resolve inter VLAN routing problems</p> <p>7.11.a Verify connectivity</p> <p>7.11.b Verify encapsulation</p> <p>7.11.c Verify subnet</p> <p>7.11.d Verify native VLAN</p> <p>7.11.e Port mode trunk status</p>		

HEAD OFFICE: 200 Purwavali , 2nd Floor, (Opp. Railway Ticket Agency),
Railway Road , Ganeshpur , Roorkee – 247667, Ph.No.: 09219602769,
01332-270218 Fax - 1332 – 274960

CORPORATE OFFICE: D-58, Sector-2, Near Red FM. Noida -201301, Uttar Pradesh
Contact Us: +91-9212172602 , 0120-4535353

BRANCH OFFICE: 401 A, 4th Floor, Lekhraj Khazana, Faizabad Road, Indira Nagar,
Lucknow-220616 (U.P.) Ph. No: +91-522-6590802, +91-9258017974

BRANCH OFFICE: 105, Mohit Vihar, Near Kamla Palace, GMS Road, Dehradun-248001, UK
Contact: +91-9219602771, 0135-6006070



Toll Free- 1800-8333-999 (from any network)